Certified Guinea Pig Diet

5026*

DESCRIPTION

Certified Guinea Pig Diet is a controlled Constant NutritionTM guinea pig diet recommended for life-cycle feeding of laboratory guinea pigs. Maximum diet control is achieved by preanalysis monitoring of key nutrients and certain contaminating substances. Diet control helps minimize variables in research studies. A sample of this product will have been assayed prior to shipment.

Features and Benefits

- Each package is assayed for environmental contaminants prior to shipment
- Preanalysis monitoring assures maximum diet control
- Fulfills GLP requirements

Product Forms Available

- Pellet, 4 mm x 10 mm (5/32"x3/8")
- Meal (ground pellets), special order

GUARANTEED ANALYSIS

Crude protein not less than	0%
Crude fat not less than	0%
Crude fiber not more than	0%
Ash not more than	0%

INGREDIENTS

Dehydrated alfalfa meal, dehulled soybean meal, ground corn, ground soybean hulls, wheat middlings, ground oats, cane molasses, porcine animal fat preserved with BHA, dicalcium phosphate, monocalcium phosphate, ground wheat, dried whey, salt, calcium carbonate, l-ascorbyl-2-polyphosphate (vitamin C), magnesium oxide, DL-methionine, choline chloride, vitamin A acetate, cholecalciferol, folic acid, pyridoxine hydrochloride, dl-alpha tocopheryl acetate, calcium pantothenate, thiamin mononitrate, nicotinic acid, cyanocobalamin, riboflavin, cobalt carbonate, manganous oxide, zinc oxide, ferrous carbonate, copper sulfate, zinc sulfate, calcium iodate, sodium selenite.

FEEDING DIRECTIONS

Certified Guinea Pig Diet should be fed free-choice except when a weight control program is desired. Mature animals will normally consume 1 to 1.5 oz. daily. Feed young growing animals free-choice only. Guinea pigs require vitamin C (ascorbic acid) in their daily diet. A lack of this vitamin results in scurvy. Stability of vitamin C varies with environmental conditions. Hot and humid weather conditions accelerate the loss of this nutrient from the product. For best results, store in cool, dry conditions and feed within 180 days of date of manufacture. Beyond 180 days, the product will be nutritionally adequate, if in good condition, providing a supplemental source of vitamin C is given. Provide guinea pigs a continuous supply of clean, fresh water. The practice of using fresh greens to supply water is not recommended since unconsumed materials will mold and spoil.

Important: A feeding program is only as effective as the management practices followed.

Caution: Store in a dry, well ventilated area free from pests and insects. <u>Do not</u> use moldy or insect-infested feed.

CHEMICAL COMPOSITION 1

CHEMICAL COMPO
Nutrients ²
Protein, %19.9
Arginine, %
Cystine, %
Glycine, %
Histidine, %
Isoleucine, %
Leucine, %
Lysine, %
Methionine, %
Phenylalanine, % 0.99
Tyrosine, % 0.66
Threonine, %
Tryptophan, %
Valine, %
Serine, %
Aspartic Acid, %2.58
Glutamic Acid, %3.84
Alanine, %
Proline, %
Taurine, % < 0.01
Fat (ether extract), %4.5
Fat (acid hydrolysis), %5.7
Cholesterol, ppm
Linoleic Acid, %1.12
Linolenic Acid, %
Arachidonic Acid, % < 0.01
Omega-3 Fatty Acids, %0.22
Total Saturated Fatty Acids, % .1.48
Total Monounsaturated
Fatty Acids, %
Fiber (Crude), %14.4
Neutral Detergent Fiber ³ , %26.8
Acid Detergent Fiber ⁴ , %17.4
Nitrogen-Free Extract
(by difference), %43.1
Starch, %
Glucose, %
Fructose, % 0.81
Sucrose, %
Lactose, %
Total Digestible Nutrients,%68.9
Gross Energy, kcal/gm3.55
Physiological Fuel Value ⁵ ,
kcal/gm 2.93
Metabolizable Energy,
kcal/gm2.51
Minerals
Ash, %
Calcium, %
Phosphorus, %
Phosphorus (non-phytate), $\%$ 0.39
Potassium, %
Magnesium, %

Sodium, % .0.35 Chlorine, % .0.72 Fluorine, ppm .23 Iron, ppm .400 Zinc, ppm .74 Manganese, ppm .78 Copper, ppm .14 Cobalt, ppm .3.5
Iodine, ppm
Chromium, ppm
Selenium, ppm0.35
Vitamins
Carotene, ppm
Vitamin K (as menadione),ppm .5.0 Thiamin Hydrochloride, ppm8.0
, 11
Riboflavin, ppm
Pantothenic Acid, ppm
Choline Chloride, ppm 1850
Folic Acid, ppm
Pyridoxine, ppm
Biotin, ppm
B_{12} , mcg/kg
Vitamin A, IU/gm
Vitamin D ₃ (added), IU/gm 3.1
Vitamin E, IU/kg55
Ascorbic Acid, mg/gm0.5
Calories provided by:
Protein, %
Fat (ether extract), % 13.877
Carbohydrates, %
*Product Code

- Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analysis will differ accordingly.
- 2. Nutrients expressed as percent of ration except where otherwise indicated. Moisture content is assumed to be 10.0% for the purpose of calculations.
- 3. NDF = approximately cellulose, hemi-cellulose and lignin.
- 4. ADF = approximately cellulose and lignin.
- 5. Physiological Fuel Value (kcal/gm) = Sum of decimal fractions of protein, fat and carbohydrate (use Nitrogen Free Extract) x 4,9,4 kcal/gm respectively.

C-4 07/12/07